

**UNITED STATES DEPARTMENT OF COMMERCE****United States Patent and Trademark Office**

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
-----------------	-------------	----------------------	---------------------

09/190,618 11/12/98 ZHANG

H 0756-1881

022204
NIXON PEABODY, LLP
8180 GREENSBORO DRIVE
SUITE 800
MCLEAN VA 22102

MMC2/0523

EXAMINER

LEE, E	
ART UNIT	PAPER NUMBER

2815

DATE MAILED:

05/23/01

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

<p align="center">Office Action Summary</p>	Application No. 09/190,618	Applicant(s) ZHANG ET AL.	
	Examiner Eugene Lee	Art Unit 2815	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136 (a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12 November 1998.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-25 and 34-41 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) 1-25 and 34-41 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claims _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12 November 1998 is/are objected to by the Examiner.
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. § 119

- 13) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☒ Certified copies of the priority documents have been received in Application No. 08/312,795.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).

Attachment(s)

- | | |
|----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| 15) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 18) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s). _____ |
| 16) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 19) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 17) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____ | 20) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the pair of second regions are overlapped with the gate electrode must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

This interpretation is based on the Paper No. 6 where the applicant did not consider the figures presented in Patent No. 5,962,872 as containing a pair of second regions overlapping with the gate electrode even though the applicant's figures and the figures presented in Patent No. 5,962,872 were identical.

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, in claim 5, 10, 15, 23, and 30, the multi-layered structure of the gate electrode with the listed metals must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Specification

3. The examiner cannot understand the invention because certain portions of the disclosure are illegible. The illegible portion(s) is on page 12, line 17 where a handwritten scrawl is made and considered unacceptable.

Applicant is required to submit an appropriate amendment rectifying this deficiency. In the alternative, a substitute specification under 37 CFR 1.125(b) may be filed. The substitute specification must be accompanied by: (1) a statement that the substitute specification contains

Art Unit: 2815

no new matter; and (2) a marked-up copy showing the amendments to be made via the substitute specification relative to the specification at the time the substitute specification is filed.

Claim Objections

4. Claims 17 and 18 are objected to because of the following informalities: the word "pair" is spelled incorrectly. Appropriate correction is required.
5. Claim 20 is objected to because of the following informalities: the word "crystal" should be "crystalline." Appropriate correction is required.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

7. Claims 1 thru 4, 16, 19 thru 22, 37, 38 and 41 are rejected under 35 U.S.C. 102(e) as being anticipated by Matsumoto '042. Matsumoto discloses (see, for example, FIG. 1) a semiconductor device comprising a thin film transistor (first thin film transistor) 12 for a matrix circuit and a thin film transistor (second thin film transistor) 13 for a peripheral circuit. Each transistor comprises a gate electrode 25-27, gate insulating film 24, semiconductor thin film 21-23, channel regions 21a-23a, high level impurity source/drain regions (a pair of first regions)

Art Unit: 2815

21c-23c, and low level impurity source/drain regions (a pair of second regions) 21b-23b. The figure clearly shows the gate electrode overlapping the low level impurity source/drain regions.

- a. Regarding claims 2 and 20, see, for example, column 4, line 40.
- b. Regarding claims 3, 21, and 41 see, for example, column 5, line 31-55.
- c. Regarding claim 37 and a pixel electrode, see element 28 in FIG. 1.

Claim Rejections - 35 USC § 103

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

9. Claims 5 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matsumoto '042 as applied to claims 1 thru 4, 16, 19 thru 22, 37, 38 and 41 above, and further in view of Dohjo et al. '551. Matsumoto does not disclose the gate electrode as having a multi-layered structure consisting of aluminum, tantalum, titanium or silicon. However, Dohjo et al. '551 teaches that the gate electrode may contain multiple layers that consist of, for example, tantalum. See, for example, figure 7. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to have a multi-layered structure gate electrode in order to improve the resistivity of the gate electrode as taught by Dohjo et al. (see, for example, column 9, line 43 and Table on columns 5 and 6).

10. Claims 6 thru 9, 17, 24, 25, 34, and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matsumoto '042. Matsumoto does not specifically disclose a distance

Art Unit: 2815

between the channel regions and high level impurity source/drain regions (pair of first regions) within a range of 0.4 to 2 μm . However, it would have been obvious to one of ordinary skill in the art at the time of invention to use these specific distances since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F. 2d 272, 205 USPQ 215 (CCPA 1980). Also, see *Prior Art* paragraph below.

- a. Regarding claims 7 and 8, see paragraph 7a and 7b above.
- b. Regarding claims 24, 25, 34, and 35, Matsumoto discloses the claimed invention except for the specific impurity concentrations of the first and second regions.

However, it would have been obvious to one of ordinary skill in the art at the time of invention to use these impurity concentrations since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F. 2d 272, 205 USPQ 215 (CCPA 1980).

11. Claims 11 thru 14, 18, and 36, and 40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matsumoto '042 as applied to claims 1 thru 4, 16, 19 thru 22, 37, 38 and 41 above, and further in view of Kunii et al. '493. Matsumoto does not disclose the distance between the channel forming region and the pair of first regions in said first thin film transistor being different from that of said second thin film transistor. However it was well known in the art at the time of invention that active matrix pixel TFTs were susceptible to charge leakage. See, for example, column 13, line 46-61. Therefore it would have been obvious to one of ordinary skill in the art at time of invention to only change the length of the low level impurity

Art Unit: 2815

region (distance between the channel forming region and the pair of first regions) in the first thin film transistor in order to suppress charge leakage prevalent in the matrix pixel TFT.

12. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Matsumoto '042 as applied to claims 6 thru 9, 17, 24, 25, 34, and 35 above, and further in view of Dohjo et al.

'551. Matsumoto does not recite the gate electrode as having a multi-layered structure consisting of aluminum, tantalum, titanium or silicon. However, Dohjo et al. '551 teaches that the gate electrode may contain multiple layers that consist of, for example, tantalum. See, for example, figure 7. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to have a multi-layered structure gate electrode in order to improve the resistivity of the gate electrode as taught by Dohjo et al. (see, for example, column 9, line 43 and Table on columns 5 and 6).

13. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Matsumoto in view of Kunii as applied to claims 11 thru 14, 18, and 36, 40 above, and further in view of Dohjo et al. '551. Matsumoto in view of Kunii does not recite the gate electrode as having a multi-layered structure consisting of aluminum, tantalum, titanium or silicon. However, Dohjo et al. '551 teaches that the gate electrode may contain multiple layers that consist of, for example, tantalum. See, for example, figure 7. Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to have a multi-layered structure gate electrode in order to improve the resistivity of the gate electrode as taught by Dohjo et al. (see, for example, column 9, line 43 and Table on columns 5 and 6).

14. Claim 39 is rejected under 35 U.S.C. 103(a) as being unpatentable over Matsumoto '042 as applied to claims 1 thru 4, 16, 19 thru 22, 37, 38 and 41 above, and further in view of Iizuka

Art Unit: 2815

'269 A. Matsumoto does not disclose said second impurity regions containing one of carbon, nitrogen, and oxygen at a higher concentration than said first impurity regions. However, Iizuka discloses that doping a polycrystalline Si layer with O or N ions will increase the resistivity. Since it was well known in the art at the time of invention that LDD regions require a high resistance (see, *Prior Art* paragraph below), it would have been obvious to one of ordinary skill in the art at the time of invention to dope the low level impurity regions of Matsumoto so that one can increase its resistance and decrease the electric field concentration near the drain region.

Prior Art

15. The prior art of made of record and not relied upon is considered pertinent to applicant's disclosure. See, for example, column 14, lines 2-7 where Kunii et al. states that the dimensions (i.e. the length of an LDD is 1um) of a conventional thin film transistor. See also column 13, lines 37-61 where Kunii states various lengths of the lightly doped region; all lengths within the 0.4 to 2 um range stated in the claims.

16. The prior art of made of record and not relied upon is considered pertinent to applicant's disclosure. See, for example, column 33, lines 28-46 where Miyasaka et al. '957 B1 states the presence of a high resistance region removes a concentrated electric field at the drain edge of a channel.


INFORMATION ON HOW TO CONTACT THE USPTO

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eugene Lee whose telephone number is 703-305-5695. The examiner can normally be reached on M-F 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie C. Lee can be reached on 703-308-1690. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-7722 for regular communications and 703-308-7722 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

Eugene Lee
May 18, 2001



EDDIE LEE
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800